

"ArmoLift - Standard"

bespoke, convenient, reliable



Scissor lifting tables






Armo S.p.A. Has over the past four decades developed the quality of its production, the efficiency of its industrial organisation and the experience of its staff.

Armo S.p.A. is a company with a well-tryed international inclination, leader in the Italian market, the highest level of special care to its partners and their needs, providing a wide range of unique applications and specific, carefully finished products.

“Standard” scissor tables are entirely produced by Armo spa, to help partners in solving their lifting and handling requirements up to 2000 kg capacity.

Semifinished parts are always on stock in Armo's factory, to grant **quick lead time**. Our scissor lift table are studied, produced, assembled and tested in our factories: the quality of a **MADE IN ITALY** product.



semifinished parts in assembling area



assembled table waiting for painting



assembling



Certificated

All ARMO scissor tables are rigorously and repeatedly tested in our factories, and, if foreseen, they are CE marked.




Guaranteed

All our products are covered by a 24 months warranty, starting from the delivery date.




Insured

ARMO is covered by a liability Insurance Policy for Industrial Companies.



Smooth or diamond upper frame



Optional access ramp



Movement rings always included with our tables.

Mod.PL

Low profile table - no pit needed.
Can be provided with access ramp.
Capacity up to 2000 Kg.



Low profile table
with access ramp



Mod. ADX



Double scissor lift table, with adjustable upper limit switch. Capacity up to 2000 kg. Can be installed in a pit.

Mod.PXS


Scissor table up to 2000 kg capacity.
Can be installed in a pit.



Safe to use up to the max capacity



Mod.PU



Often a "U" shaped upper frame is asked for in some applications. The free room in the centre is used by the hand pallet truck forks to lay the pallet load on the table and move away. The load can easily be raised.



Product range

Model	UPPER FRAME length X width		CAPACITY Kg	CLOSED height mm	STROKE mm	OWN WEIGHT in Kg	raising time (s)
PXS.050B	1300	x 800	500	200	840	210	12
PXS.051B	1500	x 1000	500	200	1000	230	12
PXS.080B	1000	x 800	800	200	550	160	10
PXS.100B	1300	x 800	1000	200	840	240	14
PXS.101B	1500	x 1000	1000	250	950	280	16
PXS.200B	1300	x 1000	2000	250	800	260	24
PXS.202B	1500	x 1000	2000	250	950	290	24
* PU.681.E00B	1400	x 1160	1000	80	800	210	25
* PL.676.E00B	1400	x 900	1000	80	800	210	25
* PL.776.E00B	1600	x 1000	2000	105	765	400	35

* power pack external from the structure

Options

- Power pack external from the structure
- Single phase power pack
 - [powerpack only external
Capacity decreased by 25% (40% for PL and PU)]
- Emergency lowering device
- Standard push control panel 2 buttons + key
- Additional push control panels
- PAdditional push control panels 2 buttons + key
- Foot control
- Additional limit switches
- Special RAL painting
- Changes in length and/or width
 - [only for PXS
Max change + 200 mm]
- Thickness for hand pallet trucks
 - [only for PXS
closed H + 120 mm]
- Bolted safety handrails
 - [H 1100 mm]
- Safety gate
 - [only for PXS and PL676
H 1100 mm
gate width 1000 mm, opening outward, mechanical
block]
- Access ramp for PL
- Diamond upper frame

Armo s.p.a.

Sede legale: Via Rosa di Luxemburg, 1
10093 Collegno (TO) - Italy

Sede operativa: Via Vittime di Bologna 10/16
10060 None (TO) - Italy

Capitale sociale € 1.600.000 i.v.

c.c.i.a.a. n.667754

Registro società n. 4136/85

Cod. fiscale e Partita IVA n. 04873070017

Tel. +39.011.71760.11

Fax +39.011.71760.19

e-mail: info@armoweb.com

www.armoweb.com

Armo is also...

- Dock levellers
- "Extra" scissor lift - tailored
- Maintenance and Service
- Industrial sectional doors
- Residential sectional doors

Ask our partner



Armo spa may, at any time and without any notice or obligation, change the specification of the goods presented in this leaflet.